

**DOCUMENT 00902
ADDENDUM No. 2**

FEB 25 2022

PART 1 GENERAL

1. This Addendum applies to the following project: Upgrades to Pump Station "A" & "B". Please add Document 00902 – Addendum No. 2 to the Contract Documents & Specifications for this project.
2. Revise Document 00003 – Table Of Contents of the Contract Documents & Specifications to include the following:
 - i. Document 00902 – Addendum No. 2.

PART 2 SPECIFICATIONS

1. None

PART 3 DRAWINGS

1. Sheet 3 of 10 of the Contract Documents shall be modified as follows:
 - i. Modify "New 32"x48" Double Leaf Halliday Mod. No. H1R3248 Aluminum Safety Access Hatch with Double Leaf Fall Protection Grating or Approved equal" labeled leader to read "New 36"x48" Single Leaf Halliday Mod. No. H1R3648 Aluminum Safety Access Hatch with Single Leaf Fall Protection Grating or Approved equal".
 - ii. Modify "Plan View Below Wet Well Slab" view "New 32"x48" Hatch Opening Above" labeled leader to read "New 36"x48" Hatch Opening Above".
 - iii. Modify "Plan View Below Wet Well Slab" view "2' – 8" dimension to read "3' - 0".
2. Sheet 6 of 10 of the Contract Documents shall be modified as follows:
 - i. Modify "Plan View at Top of the Slab" view "2' – 8" dimension to read "3' - 0".
 - ii. Modify "Plan View at Top of the Slab" view "Saw Cut Top of the Wet Well to Accept a New 32"x48" Double Leaf Halliday Mod. No. S2S3248 Aluminum Safety Access Hatch with Fall Protection Grating or Approved equal" labeled leader to read "Saw Cut Top of the Wet Well to Accept a New 36"x48" Double Leaf Halliday Mod. No. S2S3648 Aluminum Safety Access Hatch with Fall Protection Grating or Approved equal".

3. Sheet 7 of 10 of the Contract Documents shall be modified as follows:

- i. Modify "New 32"x48" Double Leaf Halliday Mod. No. S2S3248 Aluminum Safety Access Hatch with Double Leaf Fall Protection Grating or Approved equal" labeled leader to read "New 36"x48" Double Leaf Halliday Mod. No. S2S3648 Aluminum Safety Access Hatch with Single Leaf Fall Protection Grating or Approved equal".
- ii. Modify "Plan View Below the Slab" view "2' – 8" dimension to read "3' - 0".
- iii. Modify "Plan View Below the Slab" view "New 32"x48" Hatch Opening Above" labeled leader to read "New 36"x48" Hatch Opening Above".

PART 4 CLARIFICATIONS

- i. Where bypass piping is installed across or adjacent to a roadway, Contractor shall provide appropriate protection to prevent damage to piping.

END OF DOCUMENT